Canon

Easy Operation Guide

imageCLASS MF7280

Store this guide next to the machine for future reference.


CONTENTS


Preface

How the	Manuals Are Divided 1
What Yo	ou Can Do with This Machine 3
The Co	ntrol Panel 5
Copying Fu	unctions
Making	a Copy7
	ou Can Do with This Machine Copy Basic Features Screen) 9
	ou Can Do with This Machine Special Features Screen)
	ew of Copy Features15
Send Func	tion
Sending	g a Fax 17
Sending	g a Document19
	ou Can Do with This Machine Send Basic Features Screen) 21
Overvie	ew of Send Features25
Additional	Functions 27
Other Usef	iul Features
	ng the Machine from a Computer Remote UI)45
	g from Your Computer Printer Driver)47
Troublesho	ooting51

How the Manuals Are Divided

The manuals for the machine are divided as follows. Please read them as necessary to make full use of the machine. Manuals included with optional equipment are included in the list below. According to the product you have bought and the system configuration, you may not have some of these manuals.





Connecting the Machine to a **Network or Computer**

Network Guide

ImageCLASS



Read this manual to learn how to connect the machine to a network.

- Using the Machine in a TCP/IP Network
- Using the Machine in a NetBIOS Network

Operating the Machine from a Computer

Remote UI Guide

imageCLASS



Read this manual to learn how to access the machine from a computer to operate and confirm jobs, and edit the various settings of the machine.

- Confirming the Status of the Machine
- Operating Jobs
- Editing the Address Book and the Various Settings of Machine

Using the Machine as a Printer

PCL/UFR II **Printer Guide**

imageCLASS



Read these manuals to learn how to edit the settings in order to use the machine as a printer.

- Setting the Various Items in Settings Menu
- Setting the Various Items in Utility Menu

Using the Machine as a Scanner

Sending Guide

imageCLASS MF7280

Read these manuals to learn how to edit the settings in order to use the machine as a scanner.

Installing the Drivers

How to Send

Various Send Features

Driver Guides

Fax Driver Guide

Read this manual to learn how to install and use the driver which enables you to fax documents created on a computer with the machine.

PCL Driver Guide UFR II Driver Guide

Read this manual to learn how to install and use the driver which enables you to print from a computer.

Other Guides

Network Quick Start Guide

Read this manual to start learning how to install and use the driver of the machine.

Starter Guide

Read this manual to start using this machine first.


P 21

. P.24

What You Can Do with This Machine

The ImageCLASS MF7280 brings to you all the elements you will ever need in a digital multitasking machine.

The ImageCLASS MF7280 incorporates a rich array of input and output features that can greatly enhance your efficiency. Equipped with features that meet the needs of document work in a digitized office, the ImageCLASS MF7280 represents the ultimate in digital multitasking machines.



Copying Function

Enables you to save costs with features such as printing a single sided document on both sides of the paper, or printing two pages of a document on each sheet of paper. Also with the Collate mode, the Copying function is perfect for creating materials for meetings.

Send Function

Enables you to send scanned documents. You can also send to multiple destinations, and forward received faxes as well. You can send by Fax, I-Fax, E-mail, or File Server.

Print Function

Enables you to print on both sides of paper, output sets of printouts, and use various other useful features when printing documents from a computer.

Refer to this manual for examples of the useful ways in which you can use your machine.

	To Enlarge/Reduce an Image to Copy to a Different Size Paper
	To Collate Sets of Output Together
	To Copy onto Irregular Sized PaperP.10
	To Make Two-Sided CopiesP.10
	To Copy Facing Pages in a BookP.11
	To Copy Different Size Originals TogetherP.11
	To Adjust the Contrast (Sharpness)P.12
•	To Copy Multiple Originals onto One sheet of PaperP.12
•	To Recall Commonly Used SettingsP.13
	To Erase the Dark Border when Copying a BookP.14

To Send Documents ClearlyP.21
To Delete a DestinationP.21
To Confirm a DestinationP.22
To Recall the Last Destinations
To Send Documents Specifying the File FormatP.22
To Specify the Destination Using the Numeric Keys P.22
To Specify the Time to Start SendingP.23
To Stamp Originals
Which Have Already Been ScannedP.23
To Register the Favorite SettingsP.24

To Select a Desitnation from the Address Book

To Edit a Destination from a Computer.....

To Send Fax from a Computer.....

Send Function

System Monitor

Send Basic Features screen

Serial No. Key

display.

Stop Key

Start Key

Clear Key

Control Panel Power Switch

Press to turn the control panel ON or OFF.


Press to display the serial No. on the touch panel

Press to stop a job in progress (scanning only), such

as a scan job, copy job, or fax job.

Press to start an operation.

Press to clear entered values.



♦Reset Key Press to restore the standard settings of the machine. **♦** Touch Panel Display The settings screen for each function is shown on this

To Confirm or Edit the Job Status

Print

■ Scanner

■ Printer

■ Network TX

■ Network RX

Done

■ Fax

System Monitor Screen

The Control Panel

The control panel consists of a touch panel display, for setting the various functions, and physical keys such as the Start key, Stop key, and the Control Panel Power Switch. The following is an explanation of the keys used in this manual. For more information, see Chapter 1, "Before You Start Using This Machine," in the Reference Guide.

display the screen on the

the job status, and cancel

the machine status, such

paper.

left, enabling you to confirm

print jobs. You can also see

as the amount of remaining

♦ Additional Functions key

100%

Finisher

Press to specify additional functions. For more information about additional


LTR D

I coccioco D Light A Dark

Special Features

System Monitor

Paper Select



Use to adjust the brightness of the touch panel display.

Numeric Keys

● Log In/Out Key

Management is set.

Display Contrast Dial

Press to enter numeric values.

Press after entering your ID and

password when Department ID

Press [System Monitor] to

functions, see p.27.

RX/TX

■Paper Information

■ Avail. Memory

■Recovery Steps

Consumable 🖡


Fax

display.

Making a Copy

The following is an explanation of the basic procedure for copying a document. For more detailed procedures, see the references to other guides.

Preparations




Copy Basic Features screen

to switch to the Copy

function.

the control panel.






 If Department ID Management is set, it is necessary to enter an ID and password. (If an optional Card Reader-E1 is attached, insert a control card.)

For more information, see Chapter 2, "Basic Operations," in the Reference Guide.

Place Your Originals



Place your originals.

- If you have placed your originals on the platen glass, close the feeder/platen glass cover after placing your originals.
- If necessary, set copy modes in the Copy Basic Features screen.

For more information on the copy modes you can set in the Copy Basic Features screen, see p. 9.

• To set the various copy modes, press [Special Features].

For more information on the copy modes you can set in the Special Features screen, see p. 11.

You can also place paper in the stack bypass to copy. (For more information, see Chapter 2, "Basic Operations," in the Reference Guide.)


Specify the Number of Copies



Enter the desired number of copies (1 to 99) with the numeric keys.

If you make a mistake when entering values, press
 ○ → enter the correct values.

The number of copies you specify is displayed on the right side of the Copy Basic Features screen.




Start Copying



Press 💿.

- •When copying is complete, remove your originals.
- If the following screen is displayed, follow the instructions on the screen and press ⊙ once for each original. When scanning of the originals is complete, press [Done].



• If Department ID Management is set, press ®.

To cancel, or continue copying


- To cancel scanning
- → Press Ø.
- To cancel using the touch panel display
- → Press [Cancel] on the pop-up screen that appears while the machine is scanning, printing, or waiting to print.
- To make another copy while printing
- → Press [Done].
- → Place the next original.
- → Press ₍₁₎.



What You Can Do with This Machine (Copy Basic Features Screen)

The following is an explanation of the features often used when copying a document. For more detailed procedures, see the references to other guides.

To use more convenient functions (Special Features), press [Special Features] to access the Special Features screen.



* The numbers in the illustrations refer to operation steps.


Copying Guide Chapter 2

Сору

Copy Basic Features screen

To Enlarge/Reduce an Image to Copy to a **Different Size Paper**

Useful when enlarging or reducing an original of one standard paper size to another, such as enlarging an LTR sized original to LGL size, or reducing LGL to LTR size. Simply select the desired paper size from the displayed keys to automatically set the optimal zoom ratio.













To Collate Sets of Output Together

Copies are automatically collated into sets arranged in page order, and output to the trays, as shown below.




Copy Ratio







Copying Guide Chapter 2



To Make Two-Sided Copies

Two-sided

To Copy onto Irregular Sized Paper

To copy onto non-standard size paper, simply set the type


Copying Guide Chapter 2

In the screen on the left, press [Option] to set the orientation of the

two-sided copies.

Copying Guide Chapter 2


When copying many single sided originals, printing on both the front and back sides of paper can help you save half of the paper costs.



For more information on Special Features, see p. 11 to p. 14.

What You Can Do with This Machine (Special Features Screen)

The following is an explanation of the features often used when copying a document. For more detailed procedures, see the references to other guides.



* The numbers in the illustrations refer to operation steps.

Two-page

Separation


Different Size

Originals

To Copy Facing Pages in a Book

Copying Guide Chapter 3


It is common for the paper size to become too large when copying an opened book. Use this mode to copy facing pages in a book or bound original.




To Copy Different Size Originals Together

Copying Guide Chapter 3

This mode can enable you to copy a mix of different size originals in the feeder together, depending on the mix of sizes. You can copy a mix of originals such as 11x17 and LTR (originals with different widths), or LTR and STMT (both width and height slightly different).







multiple originals or two-sided originals to fit onto one sheet of paper. This is useful for arranging a variety of originals on one sheet of paper for easy viewing and for saving paper and space when

storing printouts.

lmage Combination

[Mage Combination] Specify the original size.

LTR 🔳 LTRO 🗆 LGL 🗖

Cancel ◀ Back

STMT 🔲


2-Sided Original


Next ▶
System Monitor ▶

STMT**B**











Copying Guide Chapter 3



4 On 1 (four pages on one sheet of paper)



What You Can Do with This Machine (Special Features Screen)



Use the Copy Basic Features screen and the Special Features screen to set the various copy modes.

System Monitor

Mode Memory

Done

System Monitor

Copy Basic Features Screen Copying Guide Chapters 1 and 3 Ready to copy. ODirect Press to make copies in the same size as your original. 100% 2 Copy Ratio (see p. 9) Press to reduce or enlarge the copy size. ■ محمد فحمده ا 2 3Finisher (see p. 9) Two-sided 3 Press to select the Collate, Group, or Staple mode. 4 Special Features

⑤Paper Select

Press to select the paper size/type and the paper source.

OAdjust Contrast

Press to manually control the copy exposure. Press [A] to select or cancel the automatic exposure control.

Original Type Selection

Press to change the original type when the originals include photos, etc.

Special Features screen

Image Combination

Sharpness

Two-page Separation

2

3

Different Size Originals

Two-page Separation (see p. 11)

4 Two-sided (see p. 10)

Press to copy facing pages of an opened book onto separate copy sheets.

Copying Guide Chapters 4 and 5

2 Image Combination (see p. 12)

Press to automatically reduce two or four originals to fit onto a one-sided or two-sided copy sheet.

3 Different Size Originals (see p. 11)

Press to make copies when feeding different size originals together in one group, by placing them in the feeder.

○ Frame Erase (see p. 14)

Press to eliminate dark border areas and lines that appear around original images or shadows from binding holes.

5 Mode Memory (see p. 13)

Press to store or recall copy modes.

6 Sharpness (see p. 12)

Press to sharpen or soften the image of the original in the copy.

Copying Functions

Function

Functions


Other Useful


Sending a Fax

Sending a Fax

The following is an explanation of the basic procedure for sending a fax. For more information on the settings, see the references in each step.

Preparations Ready to send. 12/09/05 10:50 **=** 200x200dpi Auto Scan Settings Address Book TIFF Format Favorites Buttons One-touch Buttons Send Settings i System Monitor Send Basic Features screen to switch to the fax mode. • If Department ID Management is set, it is





Specifying the Fax Number Using an Address Book

You can also specify the fax destination using an address book if you have registered a fax destination in the address book in advance.

necessary to enter an ID and password. (If an

For more information, see Chapter 2, "Basic


Operations," in the Reference Guide.

card.)

optional card reader is attached, insert a control

For instructions on registering destinations in the address book, see p.43.





Specifying the Fax Number Using a One-touch Dialing


You can also specify the fax destination using a onetouch dialing if you have registered a fax destination in the address book in advance.

For more information on registering destinations for the onetouch dialing, see p.44.






Enter the Fax Number



Enter the fax number manually.

To specify two or more destinations, use the Address Book, one-touch buttons, or favorites buttons. You can enter one destination using the numeric keys.



By pressing [One-touch Buttons], you can also specify destinations you have registered in

■ By pressing [New Address], you can enter one new destination. By pressing [Address Book], you can also specify

destinations you have registered in advance.

For more information on registering fax

destinations, see p.43.

For information on useful fax features, see p. 21.


Start Sending the Fax



Press (1).

• When scanning is complete, remove your originals.


To send a clear fax, set a high resolution. You can set the resolution by pressing [Scan Settings].





20


Sending a Document

Send is function to send a document via a Internet network. The following is an explanation of the basic procedure for scanning an original to a file server. For more information on the settings, see the references in each step.










What You Can Do with This Machine (Send Basic Features Screen)



For more detailed procedures, see the references to other guides.


□= O3XXXXXXXX 200x200dpi Recall 🛑 🗼 Scan Ettings Address Book TIFF File Format One-touch ▶ Buttons ||Send ||Settings | System Monitor

* The numbers in the illustrations refer to operation steps.

To Select a Destination from the Address Book

Facsimile Guide Chapter 2 Sending Guide Chapter 2

Address Book





You need to register destinations in the address book beforehand. This can be done through Address Book Settings from the Additional Functions screen.

Send Basic Features screen

To Send Documents Clearly

Facsimile Guide Chapter 2 Sending Guide Chapter 3





To send fine text clearly, select [Super Fine] or [Ultra Fine] for the resolution. To send faxes which include photos clearly, select [Photo] Mode for the Image Quality.

The time it takes to send a fax may increase according to the selected resolution and Image Quality.

To Delete a Destination

Select the destination you want to delete, and press [Erase].

Facsimile Guide Chapter 2 **Sending Guide Chapter 2**

To Confirm a Destination

Facsimile Guide Chapter 2 **Sending Guide Chapter 2**

Details

You can view the detailed information of the destination.

Auto 00000i0000⊅≣⊠

System Monitor

To Recall the Last Destinations

Facsimile Guide Chapter 2 Sending Guide Chapter 2

This feature enables you to send documents to the last three destinations under the same condition as before.

To Send Documents Specifying the File Format

Send Guide Chapter 4

File Format

You can specify the file format from among TIFF, JPEG, PDF and PDF (Compact), when sending for I-Fax, E-mail or File.

To Specify the Destination Using the Numeric Keys

Facsimile Guide Chapter 2 Sending Guide Chapter 2




You can specify a new destination using the numeric keys from [New Address]. You can enter one destination using the numeric keys.

Erase

What You Can Do with This Machine (Send Basic Features Screen)

The following is an explanation of the features often used when using the Fax/ Send function of the machine. For more detailed procedures, see the references to other guides.




* The numbers in the illustrations refer to operation steps.

Send Basic Features screen

To Specify the Time to Start Sending


Facsimile Guide Chapter 2 Sending Guide Chapter 4



To specify the time to start sending a document, for example, to send a document the first thing the next morning, use Delayed Send. The document is sent at the specified time simply by entering that time.

To Stamp Originals Which Have Already Been Scanned

Facsimile Guide Chapter 2
Sending Guide Chapter 4





You can stamp every page on the documents that are sent or scanned using the stamp features. If you place the document horizontally on the feeder, it will be stamped at the position shown in the illustration.

To Register the Favorite Settings


Facsimile Guide Chapter 2
Sending Guide Chapter 2

You can set any possible combination of send settings and register them in a favorites button in memory. There are 18 favorites buttons and they can be assigned names for increased convenience. This feature is useful for registering frequently used send settings.



Favorites

Buttons





To Edit a Destination from a Computer


Remote UI Guide Chapter 2

You can edit addresses registered in the address book from a Web browser using the Remote UI of the machine. This is convenient because you can copy and paste Fax numbers E-mail addresses, etc., found on your computer.

To Send Fax from a Computer

Fax Driver Guide









After entering the destination, press [Add to Recipient List].

* It is necessary to install the fax driver to send faxes from your computer. The display may differ according to the OS (operating system) you are using and the fax driver. For more information, see the Fax Driver Guide.

Overview of Send Features

Pressing displays the Send Basic Features screen. For more information on the features described here, see the Facsimile Guide or the Sending Guide.






2 Timer Settings


See p. 31


See p. 34

Done 🛴

System Monitor







egister Address

1/1

Press to register destinations in the Address Book



Reference Guide Chapter 3

• Enables you to specify the settings that are common to the Copy, Fax, and Send functions.



(Common Settings)

Audible Tones

Toner Save Mode ▶ Off

1/5

Auto Clear Setting ► Initial Function ●Initial Function (see p. 39)

Enables you to specify the screen that is displayed when you turn ON the main power. You can select [Copy] or [Send]. For example, if you often use the Send function, it is convenient to set the Send function as the initial function.

Auto Clear Setting


Enables you to set whether the screen specified as the Initial Function is displayed after Auto Clear initiates.

Audible Tones (see p. 39)

Enables you to set whether to sound audible tones.

Toner Saver Mode

Enables you to select the toner consumption for printing.



Done

System Monitor

(1/5)

Printer Density

Enables you to set the density for printing.

Inch Entry (see p. 39)

Enables you to ensure that the key for entering values in inches is displayed on the various numeric entry screens.

Drawer Eligibility For APS/ADS

Enables you to set which paper sources can be used for Automatic Paper Selection and Auto Drawer Switching. This setting can be made independently for all the different functions of the machine, and is especially useful when you want to use different paper sources for different purposes.

Register Paper Type

Enables you to specify the paper type loaded in each paper source.

© [Common Settings]

Energy Consumption in Sleep Mode

▶ Low

Stack Bypass Standard Settings

▶ Off

Paper Feed Method Switch

3/5

Done

System Monitor

(3/5)

Energy Consumption in Sleep Mode


Enables you to set the amount of energy that the machine consumes when it is in the Sleep mode.

Stack Bypass Standard Settings

Enables you to set the paper size and type that the stack bypass uses beforehand. This setting is useful if you always load the same paper size and type into the stack bypass.

Paper Feed Method Switch

Enables you to set the priority of copy speed or copy quality for each cassette.



29 30

5/5

Done

System Monitor


(5/5)



Reference Guide Chapter 3

• Enables you to make various timer related settings for the machine, such as the time it takes for the machine to enter into the Sleep mode.

Timer Settings



Date & Time Settings

Enables you to set current date and time. The date and time set here is used as the time setting when required for any of the device functions.

Auto Sleep Time

Enables you to set the machine to automatically switch the control panel power switch OFF when it has been idle for a certain period of time after the last print job or a key operation is performed.

Auto Clear Time

Enables you to set the machine to automatically return to the Basic Features screen of the selected function when it has been idle for a certain period of time after the last print job or a key operation is performed.

Adjustment/Cleaning


(1/1)

Reference Guide Chapter 3, 6

• Enables you to make fine adjustments to the zoom, adjust the contrast, or perform cleaning for the machine.

Adjustment/
Cleaning

Adjustment/Cleaning



Transfer Roller Cleaning


Enables you to clean the transcription roller in the main unit when the backside of paper is smudged with printing.

Fixing Unit Cleaning

Enables you to clean the fuser roller in the main unit when black streaks appear with printing or you replace the toner cartridges.

Feeder Cleaning

Enables you to clean the rollers of the feeder by repeatedly feeding blank sheets of paper through it.



Special Mode M

Enables you to improve the print quality or irregular print density.

Special Mode N


Enables you to prevent paper curling or jamming.

Special Mode O

Enables you to prevent paper jams with two-sided printing.

Special Mode P

Enables you to use more efficiently lightweight paper for printing.



Bond Special Fixing Mode

Enables you to specify to perform special fixing for bond paper.

Special Mode S

Enables you to choose whether to set a high priority on avoiding offset or on speed.

Auto Adjustment for Dirty Feeder

When this function is set to 'On', dust, dirt or foreign objects in the feeder will not be printed.

4 Report Settings

Facsimile Guide Chapter 7
Sending Guide Chapter 10

• Press to set the print conditions for printing a TX Report and Activity Report, or you can print the contents of the Address Book or Additional Functions.





Done

System Monitor

Enables you

Enables you to check whether faxes were sent correctly to the intended destination. A TX Report can automatically be printed after the documents are sent. You can also set the machine to print a TX Report only when a transmission error occurs.

Enables you to set the print conditions for printing a TX Report and Activity Report.

Activity Report

Enables you to show the results of sent and received documents. You can set for the Activity Report to be printed at a specified time or be automatically printed when the number of sent and received documents reaches 40. You can also print the send and receive logs separately.

RX Report

Enables you to check whether the documents were sent correctly from the sender's machine and were received successfully by this machine. A RX Report can be printed automatically after documents are received. You can also set the machine to print a RX Report only when a reception error occurs.

Print List


Enables you to print an Address Book List or a User's Data List (contents of the settings specified from the Additional Functions screen).



See the Reference Guide, Facsimile Guide, Sending Guide, Network Guide

 Press to set System Manager Settings, Department ID Management settings, Network Settings, and other system settings.





System Manager Settings

See the Reference Guide Chapter 5

Enables you to set the System Manager settings.

Department ID Management (see p. 41)

Enables you to manage the machine by limiting its use to only those who enter the correct Department ID and password. This is called Department ID Management. Department IDs and passwords for up to 1000 departments can be registered. Use Department ID Management to keep track of the copy, scan, and print totals for each department.

Network Settings

See the Network Guide

Enables you to make the necessary settings to connect the machine to a network.

Forwarding Settings (see p. 42)
 Enables you to set the machine to forward received fax/I-fax documents to other machines

Device Info Settings

or file servers.

See the Reference Guide Chapter 5

Enables you to set a unit name and location for the machine.

User ID Management

See the Reference Guide Chapter 5

Enables you to set whether or not to use the User ID Management.

Communications Settings


See the Facsimile Guide Chapter 5, the Sending Guide Chapter 7

Enables you to make various settings, such as settings for the send/receive start speed and the reception mode.

Remote UI On/Off

See the Reference Guide Chapter 5

Enables you to set whether to use the Remote UI of the machine. The Remote UI enables you to operate the machine and perform settings from your computer.



Restrict Access to Destinations

See the Facsimile Guide Chapter 6, the Sending Guide Chapter 9

Enables you to restrict sending documents to destinations that are not registered in the address book.

License Registration

This setting is not functional in this model.

Display Dept. ID/User Name

See the Reference Guide Chapter 5

Enables you to set whether or not to display the Department ID on the Job/Print Status Display Area of the touch panel display.

Job Log Display

See the Reference Guide Chapter 5

Enables you to confirm the jobs using [System Monitor].

Use USB Device

See the Reference Guide Chapter 5

Enables you to set whether or not to restrict jobs through the USB interface.

6 Copy Settings

Copying Guide Chapter 4

Press to edit settings for the Copy function.






Image Orientation Priority

Enables you to set the image orientation priority.

Auto Orientation

Enables you to set the machine to use information, such as the size of the original and the zoom ratio, to determine the most suitable orientation for the specified paper size and automatically rotate the image, if necessary.

Standard Settings

Enables you to change the Standard Settings to suit your needs, or restore them to their default settings. The Standard Settings refers to a combination of copy modes that the machine automatically returns after the power is turned ON, or when ② is pressed.

■Initialize Copy Settings (see p. 40)

Enables you to restore all of the Copy Settings to their defaults.

Communications Settings

Facsimile Guide, Sending Guide

• Press to register or edit the default Communications Settings according to your needs.

Communications Settings

■Fax Settings

User Settings

TX Settings

RX Settings

Done

System Monitor

System Monitor

Select a Custom Fax Settings feature

■Common Settings

TX Settings

RX Settings

TX Settings

⊕[TX Settings]

Edit Standard Send Setting

2/3

Bamma Value for Color Send Jobs ▶ Gamma 1.8

TX Settings

Unit Name

See the Facsimile Guide Chapter 1, the Sending Guide Chapter 1

Enables you to register your name or your company's name as the unit's name (a

department name is optional). The unit name is printed at the top of sent documents. For fax, the unit name can be displayed on the touch panel display of the receiving party's machine.

Data Compression Ratio

See the Sending Guide Chapter 7

Enables you to set the compression ratio for color scanned data.

Retry Times

See the Sending Guide Chapter 7

Enables you to set the mode which automatically resends data when the data could not be sent.





Edit Standard Send Settings

See the Sending Guide Chapter 7

Enables you to change the standard settings for the Send function, including the scan mode.

TX Terminal ID

See the Facsimile Guide Chapter 5

Enables you to specify whether the Terminal ID information is printed at the top of documents that you send through fax.

Gamma Value for Color Send Jobs


See the Sending Guide Chapter 7

Enables you to set the gamma value for color scanned data.

Sharpness

See the Sending Guide Chapter 7

Enables you to scan original images with a sharper or softer contrast.



Register Favorites Button

See the Sending Guide Chapter 7

Enables you to set any possible combination of send settings and register them in a favorites button in memory.

Color TX Scan Settings

See the Sending Guide Chapter 7

Enables you to set the priority for color scanned data.

Default Screen for Send


See the Sending Guide Chapter 7

Enables you to set whether the Favorites buttons, one-touch buttons, or the initial function screen will be displayed on the initial Send Basic Features screen when the power is turned ON, or the Auto Clear mode is activated.

Initialize TX Settings

See the Sending Guide Chapter 7

Enables you to restore almost all of the TX settings to their default settings.



RX Settings

Two-Sided Print

See the Sending Guide Chapter 7

Enables you to print received documents on both sides of the paper you select.

Select Cassette


See the Sending Guide Chapter 7

Enables you to set how the machine prints documents when there is no paper matching the size of the received document.

Receive Reduction

See the Sending Guide Chapter 7


Enables you to set the machine to automatically reduce received documents so that the whole document is printed within the printable area of the paper.





Enables you to set whether the machine continues printing received documents and reports when it is running out of toner.





See the Facsimile Guide Chapter 1

Enables you to set the telephone line type.

Monitor Volume Control

User Settings

• Unit Telephone #

Tel Line Type

See the Facsimile Guide Chapter 4


See the Facsimile Guide Chapter 1

Enables you to set the volume for the alarm and monitor tones that this machine emits during a fax transmission.

Enables you to store the machine's fax number. The number may also be displayed on the

touch panel display of the receiving party's machine, depending on their type of machine.

Register Destinations



User Settings

TX Settings

RX Settings

Done

System Monitor

Select a Custom Fax Settings feature.

■Common Settings

TX Settings

RX Settings

TX Settings

TX Settings

ECM TX

See the Facsimile Guide Chapter 4

Enables you to reduce the effect of system and line errors on documents that occur during sending or receiving with another fax unit that supports ECM.

Pause Time

See the Facsimile Guide Chapter 4

Enables you to set the pause time when sending a fax.

Auto Redial

See the Sending Guide Chapter 4

Enables the machine to automatically redial the recipient's fax number if the recipient cannot be reached due to a busy line, or if a sending error occurs.

Check Dial Tone Before Sending

See the Facsimile Guide Chapter 4

Enables you to set whether to check for a dial tone before dialing when sending a fax.


Pause Time Pause Monitor (1/2) (1/2)

2/2

Rotate Send

See the Facsimile Guide Chapter 4

Enables you to set the mode which automatically corrects the orientation of the document by rotating the image when sending.




RX Settings

ECM RX

See the Facsimile Guide Chapter 4


Enables you to receive incoming documents using the Error Correction Mode (ECM).






Facsimile Guide Chapter 5
Sending Guide Chapter 8

Press to register destinations that you send often.



Enables you to save yourself the effort of entering the destination every time it is used.


One-touch Buttons (see p. 44)
 Enables you to store up to 200 destinations in the one-touch buttons.





Register Address (see p. 43)


39


* The numbers in the illustrations refer to operation steps.














System Monitor

100%

Direct Copy Ratio

Offset + Collate

inisher

Copy Settings

Function

Standard Settings

Common Settings


To Change the Initial Settings for the Copy


40


unctions


unctions

Other Useful Features










Address Book Settings

Operating the Machine from a Computer (Remote UI)


For more information, see the Remote UI Guide.

To Operate the Machine from Your Seat

The Remote UI enables you to control functions, such as confirming the status of the machine, and job operations, all from your PC's web browser. For more information, see the Remote UI Guide.




Enter the IP address of the machine into the Web browser on your computer to access the Remote UI.




You can perform various functions from the Remote UI, such as editing the Address Book.

* The IP address in the above screenshot is fictitious. Ask your system administrator for the IP address of your machine.




To Edit the Address Book from a Computer

The Remote UI enables you to edit the Address Book of the machine using the Web browser on your computer. Select the Address Book in the Remote UI, and enter a new destination. Destinations registered using the Remote UI are stored in the Address Book of the machine. For more information, see the Remote UI Guide.




Press [None] to display the screen for registering destinations.



Specify the type of address from [Type] → enter the necessary infomation depending on the type of address you have selected → click [OK].

To Check the Remaining Amount of Paper from Your Seat

The Remote UI enables you to check the machine's current status, such as the amount of paper remaining in the various paper sources. This is useful as a guide for knowing when to load paper.





Remote UI.

Printing from Your Computer (Printer Driver)

For more information, see the printer and driver guides.


* The following screenshots are when the UFR II printer driver is installed, and may differ from the ones you see, according to the driver or operating system you are using.






Printing from Your Computer (Printer Driver)

* The following screenshots are when the UFR II printer driver is installed, and may differ from the ones you see, according to the driver or operating system you are using.





Troubleshooting

For toner replacement and paper loading procedures, or when problems have occurred when using the machine, and you want to know how to solve them, see the following references to the other guides.

Symptom	Guide	Chapter	Title			
Paper						
When paper has run out	Reference	7	Paper Drawers			
When there is a paper jam	Reference	7	Clearing Paper Jams			
When there are frequent paper jams	Reference	7	Reducing the Frequency of Paper Jams			
Toner						
When toner has run out	Reference	6	Replacing the Cartridge			
Scanning trouble						
When originals scanned with the platen glass/feeder become dirty	Reference	6	Routine Cleaning			
When memory becomes full during econoling	Reference	7	If Memory Becomes Full during Scanning			
When memory becomes full during scanning	Facsimile	8	When Problems Occur			
Printing trouble						
When the density of a copy or print is different to the original	Reference	3	Specifying Common Settings			
When a print is dirty	Reference	6	Routine Cleaning			
Communications trouble						
When you cannot send	Facsimile	8	When Problems Occur			
When you cannot receive	Facsimile	8	When Problems Occur			
When communications are slow	Facsimile	8	When Problems Occur			
Other trouble						
When the power does not turn ON	Reference	7	Troubleshooting			
When the message "contact your service representative with the error code below" is displayed.	Reference	7	Service Call Message			

When an error message not covered by the above is displayed, see Chapter 7 "Service Call Message," in the Reference Guide, Chapter 8 "Error Messages," in the Facsimile Guide, and Chapter 11 "Error Messages," in the Sending Guide.



CANON INC.

30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo 146-8501, Japan

CANON U.S.A., INC.

One Canon Plaza, Lake Success, NY 11042, U.S.A.

CANON CANADA INC.

6390 Dixie Road Mississauga, Ontario L5T 1P7, Canada

CANON EUROPA N.V.

Bovenkerkerweg 59-61 1185 XB Amstelveen, The Netherlands

CANON FRANCE S.A.S.

17, quai du Président Paul Doumer 92414 Courbevoie Cedex, France

CANON COMMUNICATION & IMAGE FRANCE S.A.S.

12, rue de l'Industrie 92414 Courbevoie Cedex, France

CANON (U.K.) LTD.

Woodhatch, Reigate, Surrey, RH2 8BF, United Kingdom

CANON DEUTSCHLAND GmbH

Europark Fichtenhain A10, 47807 Krefeld, Germany

CANON ITALIA S.p.A.

Via Milano, 8 20097 San Donato Milanese (MI) Italy

CANON LATIN AMERICA, INC.

703 Waterford Way Suite 400 Miami, Florida 33126, U.S.A.

CANON AUSTRALIA PTY. LTD.

1 Thomas Holt Drive, North Ryde, Sydney, N.S.W. 2113, Australia

CANON CHINA CO., LTD.

FA7-9487 (000)

15F, North Tower, Beijing Kerry Centre, 1 Guang Hua Road, Chao Yang District, 100020, Beijing, China

CANON SINGAPORE PTE. LTD.

1 HarbourFront Avenue #04-01 Keppel Bay Tower, Singapore 098632

CANON HONGKONG CO., LTD.

19/F., The Metropolis Tower, 10 Metropolis Drive, Hunghom, Kowloon, Hong Kong

120V



© CANON INC. 2006